

USEPA SF

7918

Emergency Contact Telephone Number

Please print or type

Form designed for use on size 11x14 inch paper

Form Approved OMB No. 2050-1059 Expires 9-30-96

**UNIFORM HAZARDOUS
WASTE MANIFEST**

1. Generator's US EPA ID No.

Small Generator

2. Page 1
of 1Information in the shaded areas is
not required by Federal law.3. Generator's Name and Mailing Address
Grimm Brothers Automotive
4775 Monarch Road
Sagle ID 83860

4. Generator's Phone (208) 265-4883

K. State Manifest Document Number
990255854A

B. State Generator's ID

5. Transporter 1 Company Name

CleanCare

6. US EPA ID Number

WAD988477147

C. State Transporter's ID

D. Transporter's Phone (253) 627-1976

7. Transporter 2 Company Name

8. US EPA ID Number

E. State Transporter's ID

F. Transporter's Phone

9. Designated Facility Name and Site Address

CleanCare Corporation
1510 Taylor Way
Tacoma WA 98421

10. US EPA ID Number

WAD980738512

G. State Facility's ID

H. Facility's Phone

(206) 627-1976

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)

HM

12. Containers

No.

Type

13. Total
Quantity14. Unit
Wt/Vol

I. Waste No.

a. X RC, WASTE FLAMMABLE LIQUID,
N.O.S., 3, PG II,
UN1993, (Acetone, Toluene)001 1M000.036 0001 D035 F003
005 W702 0007, 0008

b.

c.

d.

J. Additional Descriptions for Materials Listed Above

11a. Acetone, Toluene, Mineral Spirits, Methanol, Xylene

11a. Profile 11528

K. Handling Codes for Wastes Listed Above

a. FSUBS

15. Special Handling Instructions and Additional Information

11a. Use ERG# 128 for 11a, For Emergency 1-800-282-8128

11a. Shipper ID # 99052802

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national governmental regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name

Signature

Month Day Year

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Month Day Year

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.

Printed/Typed Name

Signature

Month Day Year

T/S/D/F COPY

UNIFORM HAZARDOUS
WASTE MANIFEST

1. Generator's US EPA ID No.

Small Generator

2. Page 1
of 1Information in the shaded areas is
not required by Federal law.

3. Generator's Name and Mailing Address

GRIND Brothers Automotive
4775 Monarch Road
Sagle ID 83860

4. Generator's Phone (208) 265-4883

5. Transporter 1 Company Name

CleanCare

6. US EPA ID Number

WAD988477147

7. Transporter 2 Company Name

8. US EPA ID Number

9. Designated Facility Name and Site Address

CleanCare Corporation
1510 Taylor Way
Tacoma WA 98421

10. US EPA ID Number

WAD980738512

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)

HM

a. X RO, WASTE FLAMMABLE LIQUID,
N.O.S., 3, PG II,
UN1993, (Acetone, Toluene)

12. Containers

No.

Type

13. Total
Quantity14. Unit
Wt/Vol

1. Waste No.

001 AM000.036
001 D035 F003
005 W702
D007, D008

J. Additional Descriptions for Materials Listed Above

11a. Acetone, Toluene, Mineral Spirits, Methanol, Xylene

K. Handling Codes for Wastes Listed Above

a. FSUBS

15. Special Handling Instructions and Additional Information

11a. Use ERG# 128 for 11a. For Emergency 1-800-282-8128

11a. Shipper ID # 99052802

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national governmental regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name

Signature

Month Day Year

052899

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Month Day Year

052899

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Month Day Year

060699

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.

Printed/Typed Name

Signature

Month Day Year

060699

TRANSPORTER #2

RCRA Land Disposal Restriction Notification Form

This form is applicable to characteristic wastes (D codes), listed wastes (F, K, U and P codes), California List wastes and Hazardous Debris.

Generator: Grimm Brothers

U.S. EPA I.D. #: 276

Profile #: 11528

Manifest #: 55854

The wastes identified on this form are subject to the land disposal restrictions of 40 CFR Part 268. The wastes do not meet the treatment standards specified in Part 268, Subpart D or do not meet the applicable prohibition levels specified in 268.32 or RCRA Section 3004 (d). Pursuant to 40 CFR 268.7(a), the required information applicable to each waste is identified below (check all boxes that apply):

Treatability Group: ☐ Wastewater ☐ Nonwastewater
(Wastewater contain less than 1% filterable solids and less than 1% Total Organic Carbon)

- ☐ D001 Ignitable (except for High TOC) managed in non-CWA/non-CWA-equivalent/non Class I SDWA systems. (If this box is checked, complete and attach Form UC to address underlying hazardous constituents. Note: The underlying hazardous constituents need not be addressed if the waste is to be combusted or recovered.)
- ☐ D001 Ignitable (except for High TOC) managed in CWA/CWA-equivalent/Class I SDWA systems
- ☒ D001 High TOC Ignitable (greater than 10% total organic carbon)
- ☒ D002 Corrosive managed in non-CWA/non-CWA equivalent/non Class I SDWA systems (If this box is checked, complete and attach Form UC to address underlying hazardous constituents)
- ☐ D002 Corrosive managed in CWA/CWA-equivalent/Class I SDWA systems
- ☐ D003 Reactive Sulfides based on 261.23(a)(5)
- ☐ D003 Reactive Cyanides based on 261.23 (a)(5)
- ☐ D003 Water Reactives based on 261.23(a)(2),(3) and (4)
- ☐ D003 Explosives based on 261.23 (a)(6),(7) and (8)
- ☐ D003 Other Reactives based on 261.23(a)(1)
- ☐ D004 Arsenic ☐ D005 Barium ☐ D006 Cadmium ☐ D006 Cadmium-containing batteries
- ☒ D007 Chromium ☒ D008 Lead ☐ D008 Lead acid batteries
- ☐ D009 High mercury inorganic (>260 mg/kg total), including incineration residue and residues from RMERC
- ☐ D009 High-mercury organic (>260 mg/kg total), not including incinerator residue
- ☐ D009 Low-mercury (<260 mg/kg total) ☐ D009 All D009 wastewater's
- ☐ D010 Selenium ☐ D011 Silver

If D012-43 boxes are checked, complete and attach Form UC to address underlying hazardous constituents (unless these wastes are to be managed in CWA/CWA-equivalent/Class I SDWA systems):

- | | | |
|--|--|--|
| <input type="checkbox"/> D012 Endrin | <input type="checkbox"/> D023 o-Cresol | <input type="checkbox"/> D033 Hexachlorobutadiene |
| <input type="checkbox"/> D013 Lindane | <input type="checkbox"/> D024 m-Cresol | <input type="checkbox"/> D034 Hexachlorobutadiene |
| <input type="checkbox"/> D014 Methoxychlor | <input type="checkbox"/> D025 p-Cresol | <input checked="" type="checkbox"/> D035 Methyl ethyl ketone |
| <input type="checkbox"/> D015 Toxaphene | <input type="checkbox"/> D026 Cresols(Total) | <input type="checkbox"/> D036 Nitrobenzene |
| <input type="checkbox"/> D016 2,4-D | <input type="checkbox"/> D027 p-Dichlorobenzene | <input type="checkbox"/> D037 Pentachlorophenol |
| <input type="checkbox"/> D017 2,4,5-TP(Silvex) | <input type="checkbox"/> D028 1,2-Dichloroethane | <input type="checkbox"/> D038 Pyridine |
| <input type="checkbox"/> D018 Benzene | <input type="checkbox"/> D029 1,1-Dichloroethylene | <input type="checkbox"/> D039 Tetrachloroethylene |
| <input type="checkbox"/> D019 Carbon tetrachloride | <input type="checkbox"/> D030 2,4-Dinitrotoluene | <input type="checkbox"/> D040 Trichloroethylene |
| <input type="checkbox"/> D020 Chlordane | <input type="checkbox"/> D031 Heptachlor | <input type="checkbox"/> D041 2,4,5-Trichlorophenol |
| <input type="checkbox"/> D021 Chlorobenzene | <input type="checkbox"/> D032 Hexachlorobenzene | <input type="checkbox"/> D042 2,4,6-Trichlorophenol |
| <input type="checkbox"/> D022 Chloroform | | <input type="checkbox"/> D043 Vinyl chloride |

In addition, the following wastes are included in this shipment:

- ☒ F001-F005 spent solvents. (If this box is checked, complete the F001-F005 section on the back of this form. Check the hazardous waste number(s) that applies, and identify the constituents likely to be present in the waste.)
- ☐ F039 multisource leachate. (If this box is checked, complete and attached Form UC to identify the individual constituents.)
- ☐ RCRA Section 3004(d) California list wastes. (If this box is checked, complete the California List Section on the back of this form.)
- ☐ Hazardous Debris (If this box is checked, complete the Hazardous Debris section on the back of this form.)

If this shipment carries additional waste codes that are non addressed above, identify them here:

EPA Waste Code	Subcategory (if applicable)	EPA Waste Code	Subcategory (if applicable)
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

F001-F005 Spent Solvents

Check the box(es) that applies: identify the individual constituents likely to be present.

Hazardous waste description

Regulated hazardous constituents

- ☐ F001 Spent halogenated solvents used in degreasing

Carbon tetrachloride
Tetrachloroethylene
Trichloroethylene
Trichloromonofluoromethane

Methylene chloride
1,1,1-Trichloroethane
1,1,2-Trichloro 1,2,2-trifluoroethane

- ☐
- F002 Spent halogenated solvents

Chlorobenzene
Methylene chloride
1,1,1-Trichloroethane
Trichloroethylene
Trichloromonofluoromethane

o-Dichlorobenzene
Tetrachloroethylene
1,1,2-Trichloroethane
1,1,2-Trichloro-1,2,2-trifluoroethane

- F003 Spent non-halogenated solvents**

Acetone
Cyclohexanone*
Ethyl benzene
Methanol*
Xylenes (total)

~~Ethyl acetate~~

- ☐
- F004 Spent non-halogenated solvents

m-Cresol
p-Cresol
Nitrobenzene

o-Cresol
Cresol-mixed isomers(cresylic acid)

- ☒
- F005 Spent non-halogenated solvents

Benzene
 2-Ethoxyethanol
 Methyl ethyl ketone
 Pyridine

Carbon disulfide*
Isobutyl alcohol
2-Nitropropane
Toluene)

*The treatment standards for carbon disulfide, cyclohexanone, and methanol nonwastewaters are based on the TCLP and apply to spent solvent nonwastewaters containing only one, two, or all three of these constituents. The treatment for these three constituents do not apply when any of the other F001-F005 constituents are present in the waste.

California List Wastes

California List Wastes
Check applicable boxes; only RCRA-regulated hazardous wastes can be subject to the California List prohibitions. Note that the California List prohibitions do not apply to newly identified (e.g., D018-D043) or newly listed wastes.

- ☐ Liquid wastes containing Nickel at >134 mg/L
- ☐ Liquid wastes containing PCB at ≥ 50 ppm
- ☐ Liquid wastes containing Thallium at >130 mg/L
- ☐ Liquid or nonliquid wastes containing Halogenated Organic Compounds listed in 40 CFR 268 Appendix III at $\geq 1,000$ mg/kg (solids) or $\geq 1,000$ mg/L (liquids)

Hazardous Debris

Hazardous Debris
The definitions of "debris" and "hazardous debris" are in 40 CFR 268.2. Per 268.45, hazardous debris must be treated for each "contaminant subject to treatment. "To determine these, look up the waste code in 268.40 and list the regulated hazardous constituents for each code. Check the box that applies.

- ☐ This shipment contains hazardous debris that will be treated to comply with the alternative treatment standards of 268.45 (e.g., macroencapsulation or abrasive blasting).
- ☐ This shipment contains hazardous debris that will be treated to meet the 268.40 treatment standards for the waste(s) containing the debris).

[illegible]

Generator:

Grimm Brothers

U.S. EPA I.D. #

55854

Profile #:

11528

Manifest #:

55854

(3)

In accordance with 40 CFR 268.7(a), the underlying hazardous constituents must be addressed in the waste. Per 268.2(f), "underlying hazardous constituent" means any constituent listed in 268.48, Table UTS-Universal Treatment Standards, except zinc, which can reasonably be expected to be present at the point of generation of the hazardous waste, at a concentration above the constituent-specific UTS treatment standard. Refer to Form-EZ (attached) for the waste code(s), treatability group, and subcategory applicable to this waste. This form may also be used to identify F039 constituents.

Please check the appropriate box:

☐ This Shipment includes F039 multisource leachate. The individual constituents likely to be present are identified on the back page of this form.

☒ This shipment includes D001 (other than 1/High TOC Ignitables, or 2) other Ignitables that will be combusted or recovered), D002, and/or D012-D043 characteristic wastes will not be managed in CWA/CWA-equivalent/Class I SDWA systems. The underlying hazardous constituents must be addressed for this waste.

In order to address underlying constituents waste, please check the appropriate box:

☐ I have reviewed the UTS list of 268.48, and per 268.7(a), I have determined that there are no underlying hazardous constituents reasonably expected to be present in this waste.

☒ I have reviewed the UTS list of 268.48, and per 268.7(n), I have determined that underlying hazardous constituents are present in this waste. The underlying hazardous constituents are identified on the back of this form.

The determination of underlying hazardous constituents was based on:

☒ Generator's knowledge of waste

☒ Analysis

I certify that I personally have examined and am familiar with the waste through analysis and testing, or through knowledge of the waste to support this certification. I certify that as an authorized representative of the generator named above, all the information submitted in this notification is true and correct to the best of my knowledge.

Printed Name

L. Grimm

Signature

L. Grimm

Date

5-28-99

Circle or otherwise identify the underlying hazardous constituents (or F039 constituents) present in the waste:

(4)

Constituent	Constituent	Constituent	Constituent
Acenaphthene	Chrysene	Endosulfan sulfate	N-Nitrosopyrrolidine
Acenaphthylene	o-Cresol	Endrin	Parathion
Acetone	m-Cresol	Endrin aldehyde	PCBs (total)
Acetonitrile	p-Cresol	Ethyl acetate	Pentachlorobenzene
Acetophenone	Cyclohexanone	Ethyl benzene	Pentachlorodibenzo-p-dioxins
2-Acetylaminofluorene	o,p'-DDD	Ethyl ether	Pentachlorodibenzofurans
Acrolein	p,p'-DDD	Ethyl methacrylate	Pentachloroethane*
Acrylamide	o,p'-DDE	Ethylene oxide	Pentachloronitrobenzene
Acrylonitrile	p,p'-DDE	Famphur	Pentachlorophenol
Aldrin	o,p'-DDT	Fluoranthene	Phenacetin
4-Aminobiphenyl	p,p'-DDT	Fluorene	Phenanthrene
Aniline	Dibenz(a,h)anthracene	Heptachlor	Phenol
Anthracene	Dibenzo(a,e)pyrene	Heptachlor epoxide	Phorate
Aramite	1,2-Dibromo-3-chloropropane	Hezachlorobenzene	Phthalic acid*
alpha-BHC	1,2-Dibromoethane	Hexachlorobutadiene	Phthalic anhydride
beta-BHC	(ethylene dibromide)	Hexachlorocyclopentadiene	Pronamide
delta-BHC	Dibromomethane	Hexachlorodibenzo-p-dioxins	Propenenitrile (ethyl cyanide)
Benz(a)anthracene	m-Dichlorobenzene	Hexachlorodibenzofurans	Pyrene
Benzal chloride*	o-Dichlorobenzene	Hexachloroethane	Pyridine
Benzene	p-Dichlorobenzene	Hexachloropropylene	Saflrole
Benzo(a)pyrene	Dichlorodifluoromethane	Indeno(1,2,3-c,d)pyrene	Silvex(2,4,5-TP)
Benzo(b)fluoranthene	1,1-Dichloroethane	Iodomethane	1,2,4,5-Tetrachlorobenzene
Benzo(k)fluoranthene	1,2-Dichloroethane	Isobutyl alcohol	Tetrachlorodibenzo-p-dioxins
Benzo(g,h,i)perylene	1,1-Dichloroethylene	Isodrin	Tetrachlorodibenzofurans
Bis(2-chloroethoxy)methane	trans-1,2-Dichloroethylene	Isosafrole	1,1,1,2-Tetrachloroethane
Bis(2-chloroethyl)ether	2,4-Dichlorophenol	Kepon	1,1,2,2-Tetrachloroethane
Bis(2-chloroisopropyl)ether	2,6-Dichlorophenol	Methacrylonitrile	Tetrachloroethylene
Bis(2-ethylhexyl)phthalate	2,4-Dichlorophenoxyacetic acid	Methanol	2,3,4,6-Tetrachlorophenol
Bromodichloromethane	(2,4-D)	Methapyrilene	Toluene
Bromomethane (methyl bromide)	1,2-Dichloropropane	Methoxychlor	Toxaphene
4-Bromophenyl phenyl ether	cis-1,3-Dichloropropylene	3-Methylcholanthrene	Tribromomethane (bromoforn)
n-butyl alcohol	trans-1,3-Dichloropropylene	4,4-Methylene-bis(2-chloroaniline)	1,2,4-Trichlorobenzene
Butyl benzyl phthalate	Dieldrin	Methylene chloride	1,1,1-Trichloroethane
2-sec-Butyl-4,6-dinitrophenol	Diethyl phthalate	Methyl ethyl ketone	1,1,2-Trichloroethane
(Dinoseb)	Diethyl phthalate	Methyl isobutyl ketone	Trichloroethylene
Carbon disulfide	p-Dimethylaminoazobenzene*	Methyl methacrylate	Trichloromonofluoromethane
Carbon tetrachloride	2,4-Dimethyl phenol	Methyl methanesulfonate	2,4,5-Trichlorophenol
Chlordane	Dimethyl phthalate	Methyl parathion	2,4,6-Trichlorophenol
(alpha and gamma isomers)	Di-n-butyl phthalate	Naphthalene	2,4,5-Trichlorophenoxyacetic acid(2,4,5-T)
p-Chloroaniline	1,4-Dinitrobenzene	2-Naphthylamine	1,2,3-Trichloropropane
Chlorobenzene	4,6-Dinitro-o-cresol	o-Nitroaniline*	1,2,3-Trichloropropane
Chlorobenzilate	2,4-Dinitrophenol	p-Nitroaniline	1,1,2-Trichloro-1,2,2-trifluoroethane
2-Chloro-1,3-butadiene	2,4-Dinitrotoluene	Nitrobenzene	Tris(2,3-dibromopropyl)phosphate
Chlorodibromomethane	2,6-Dinitrotoluene	5-Nitro-o-toluidine	Vinyl chloride
Chloroethane	Di-n-octyl phthalate	o-Nitrophenol	Xylenes (total)
Chloroform	Di-n-propylnitrosamine	p-Nitrophenol	Antimony
p-Chloro-m-cresol	1,4-Dioxane	N-Nitrosodiethylamine	Arsenic
2-Chloroethyl vinyl ether*	Diphenylamine	N-Nitrosodimethylamine	Barium
Chloromethane (methyl chloride)	Diphenylnitrosamine	N-Nitrosodi-n-butylamine	Beryllium
2-Chloronaphthalene	1,2-Diphenyl hydrazine	N-Nitrosomethylethylamine	Cadmium
2-Chlorophenol	Disulfoton	N-Nitrosomorpholine	Chromium (total)
3-Chloropropylene	Endosulfan I	N-Nitrosopiperidine	Cyanide (total)
	Endosulfan II		Cyanide (amenable)
			Mercury (retort residues)*
			Mercury (all others)
			Fluoride
			Lead
			Nickel
			Selenium
			Silver
			Sulfide
			Thallium
			Vanadium

*This constituent is not a regulated hazardous constituent in F039

CleanCare Corp.
Material Information Sheet

Profile Number: 11528

Cert. Date: 5/4/98

Review Date: 5/3/99

Generating Site

Name: GRIMM BROTHERS AUTO
Address: 4775 MONARCH ROAD
City: SAGLE
State: ID
Zip: 83860
Phone: 208-265-4883
Contact: KEVIN GRIMM
EPA ID#: CESQG

Mailing Address

Name: GRIMM BROTHERS AUTO
Address: 4775 MONARCH ROAD
City: SAGLE
State: ID
Zip: 83860
Phone: 208-265-4883
Contact: KEVIN GRIMM

WASTE MATERIAL

FormCode: B211

TreatmentCode:

WasteName:

ProcessCode: M061

MSDSCode: Y

PAINT WASTE AND GUNWASH

AnalyticalCode:

WasteProcess:

SourceCode: A06

Generic Profile: N

CLEANING PAINTING EQUIPMENT

SampleNumber:

WASTE CHARACTERISTICS

WasteColor: VARIES

PercentSolid: 5

PCBs: NEG

PhysicalState: LIQUID

SpecificGravity: 1-1.1

Cyanides: NEG

pHRange: 6-8

Layers: SINGLE PHASED

Sulfides: NEG

FlashPoint: <100

BTUValue: >10,000

Phenolates: NEG

METALS

PPM

PPM

PPM

Arsenic: <5

Lead: <100

Nickel: <134

Barium: <100

Mercury: <.2

Thallium: <130

Cadmium: <1

Selenium: <1

HexChrome: 0

Chromium: <100

Silver: <5

WASTE CODES Federal: D001 D007 D008 D035 F003 F005 State: WT02

Designation Code: D

Comments: MUST GENERATED <220LBS/MONTH OR HAVE EPAID#

WASTE COMPOSITION

	Min	Max
TOLUENE	30	60
XYLENE	5	20
METHANOL	5	20
METHYL ETHYL KETONE	5	20
N-BUTYL ACETATE	5	10
PAINT SOLIDS	5	10
PROPYLENE GLYCOL MONOMETHYL ETHER ACETATE	1	5
RESINS	1	5
LEAD CHROMATE	1	5
TITANIUM DIOXIDE	1	5
NAPHTHENES	1	5
ACETONE	1	5
ETHYL ACETATE	1	5
ISOPROPYL ALCOHOL	1	5
		180

ShipDOT_PSN: WASTE FLAMMABLE LIQUIDS, N.O.S.

ShipAdditionalDesc: (ACETONE, TOLUENE)

ShipHazardClass: 3

ShipDOT_id: UN1993

ShipPackingGroup: II

I hereby certify that as an authorized representative of the generator named above, that the above attached description is complete and accurate to the best of my knowledge and ability to determine, that no deliberate or willful omission of composition or properties exist, and that all known or suspected hazards have been disclosed. I certify that the materials tested are representative of all materials subject to the contract.

Signature

Title

Date

Printed Name